

WHAT IS CLAIMED IS:

1. A negative electrode for a lithium rechargeable battery comprising:
a carbon material in which lithium intercalation reversibly occurs; and
at least one metallic oxide selected from the group consisting of yttrium oxide,
cerium oxide, and titanium oxide.
2. The negative electrode for a lithium rechargeable battery according to claim 1, wherein the metallic oxide is yttrium oxide.
3. The negative electrode for a lithium rechargeable battery according to claim 1, wherein the amount of the metallic oxide ranges from 1 to 20 weight parts based on 100 weight parts of the carbon material.
4. The negative electrode for a lithium rechargeable battery according to claim 1, wherein the average diameter of the metallic oxide ranges from 10 nm to 10 μ m.
5. A lithium rechargeable battery comprising:
a negative electrode for a lithium rechargeable battery comprising a carbon material in which intercalation reaction occurs and at least one metallic oxide selected from the group consisting of yttrium oxide, cerium oxide, and titanium oxide;
a positive electrode comprising a positive active material in which lithium intercalation reversibly occurs; and
a non-aqueous electrolyte comprising lithium salt.

05125355 00031